

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("6578152").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/09/20 15:04
S2	23256	usb or (universal adj serial adj bus)	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:05
S3	414	(usb or (universal adj serial adj bus)) and (pull adj up)	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:05
S4	230	((usb or (universal adj serial adj bus)) and (pull adj up)) and 7\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:07
S5	0	diable with (pull adj up)	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:07
S6	231	disable with (pull adj up)	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:07
S7	19849	"7" and "713"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:07
S8	19849	("7" and "713"/\$.ccls.) and "713"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:08
S9	16	(disable with (pull adj up)) and "713"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:09
S10	50	"6".clm.	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:34
S11	3836	memory and pull adj up adj resistor	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:35
S12	3836	memory and (pull adj up adj resistor)	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:35
S13	85	memory and (disabl\$ with (pull adj up adj resistor))	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:35
S14	13	memory and (disabl\$ with (pull adj up adj resistor)) and (usb or "universal serial bus")	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:39
S15	21	(disabl\$ with (pull adj up adj resistor)) and (usb or "universal serial bus")	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:39
S16	8	"6415342".URPN.	USPAT	OR	OFF	2004/09/20 15:43
S17	9	("5844086" "6012103" "6101076" "6131134" "6205502" "6216188" "6279060" "6292863" "6357021").PN.	USPAT	OR	OFF	2004/09/20 15:43
S18	8	"6415342".URPN.	USPAT	OR	OFF	2004/09/20 15:55
S19	21347	power near ((sense\$ or sensing) or detect\$3)	US-PGPUB; USPAT	OR	OFF	2004/09/20 16:33
S20	1531015	voltage or power	US-PGPUB; USPAT	OR	OFF	2004/09/21 11:26

S21	91	prevent adj3 (voltage or power) with ((boot adj up) or (start adj up) or startup or bootup)	US-PGPUB; USPAT	OR	OFF	2004/09/21 11:30
S22	7511	(pull adj up adj resistor) or (pullup adj resistor)	US-PGPUB; USPAT	OR	OFF	2004/09/21 11:30
S23	159107	((pull adj up adj resistor) or (pullup adj resistor)) and disable\$ or disabl\$	US-PGPUB; USPAT	OR	OFF	2004/09/21 11:31
S24	3220	((pull adj up adj resistor) or (pullup adj resistor)) and (disable\$ or disabl\$)	US-PGPUB; USPAT	OR	OFF	2004/09/21 11:32
S25	2574	((pull adj up adj resistor) or (pullup adj resistor)) and (disable\$ or disabl\$) and data	US-PGPUB; USPAT	OR	OFF	2004/09/21 11:31
S26	532	"2".clm.	US-PGPUB; USPAT	OR	OFF	2004/09/21 11:31
S27	159107	"2".clm. and disable\$ or disabl\$	US-PGPUB; USPAT	OR	OFF	2004/09/21 11:31
S28	140	"2".clm. and (disable\$ or disabl\$)	US-PGPUB; USPAT	OR	OFF	2004/09/21 11:53
S29	23310	usb or "universal serial bus"	US-PGPUB; USPAT	OR	OFF	2004/09/21 11:53
S30	218	(usb or "universal serial bus") and (pull adj up adj resistor)	US-PGPUB; USPAT	OR	OFF	2004/09/21 11:54
S31	2778	"1".clm.	US-PGPUB; USPAT	OR	OFF	2004/09/21 11:54
S32	103	"1".clm. and (pull adj up adj resistor)	US-PGPUB; USPAT	OR	OFF	2004/09/21 11:54
S33	9	("5844086" "6012103" "6101076" "6131134" "6205502" "6216188" "6279060" "6292863" "6357021").PN.	USPAT	OR	OFF	2004/09/21 16:03
S34	3	(disable or disabling) with data with (pull adj up adj resistor)	US-PGPUB; USPAT	OR	OFF	2004/09/22 10:50
S35	11	(disable or disabling) with line with (pull adj up adj resistor)	US-PGPUB; USPAT	OR	OFF	2004/09/22 10:53
S36	110	"1394" and (pull adj up adj resistor)	US-PGPUB; USPAT	OR	OFF	2004/09/22 10:53
S37	116	("1394" or firewire or ilink) and (pull adj up adj resistor)	US-PGPUB; USPAT	OR	OFF	2004/09/22 10:53
S38	89	("1394" or firewire or ilink) and (pull adj up adj resistor) and disabl\$	US-PGPUB; USPAT	OR	OFF	2004/09/22 11:34
S39	566	(pull adj up adj resistor) with data	US-PGPUB; USPAT	OR	OFF	2004/09/22 11:35
S40	58	"1".clm.	US-PGPUB; USPAT	OR	OFF	2004/09/22 11:40

S41	229	DIMM and USB	US-PGPUB; USPAT	OR	OFF	2004/09/22 11:40
S42	15	dimmm same usb	US-PGPUB; USPAT	OR	OFF	2004/09/22 12:08
S43	39	usb same (data with (surge or noise))	US-PGPUB; USPAT	OR	OFF	2004/09/22 12:58
S44	4	usb same (data with (surge or noise)) and (pull adj up adj resistor)	US-PGPUB; USPAT	OR	OFF	2004/09/22 12:11
S45	71818	data adj transfer	US-PGPUB; USPAT	OR	OFF	2004/09/22 12:58
S46	66	(data adj transfer) same up adj resistor	US-PGPUB; USPAT	OR	OFF	2004/09/22 12:58
S47	66	(data adj transfer) same (up adj resistor)	US-PGPUB; USPAT	OR	OFF	2004/09/22 13:01
S48	111	resistor near4 (deactivat\$ or disabl\$ or inhibit\$ or prevent\$) with (communication or data)	US-PGPUB; USPAT	OR	OFF	2004/09/22 13:02
S49	4	(US-6351809-\$ or US-6131134-\$ or US-5912569-\$ or US-5905389-\$). did.	US-PGPUB; USPAT	OR	OFF	2004/09/22 16:21
S50	58	"0014869"	EPO; DERWENT	OR	OFF	2004/11/23 10:53
S51	10	mariaud	EPO; DERWENT	OR	OFF	2004/11/23 10:53
S52	10	mariaud.in.	EPO; DERWENT	OR	OFF	2004/11/23 10:53
S53	28	"electrostatic protection diode"	US-PGPUB; USPAT	OR	OFF	2004/12/07 13:33
S54	1782	"electrostatic protection diode" or ESD with transistor	US-PGPUB; USPAT	OR	OFF	2004/12/06 11:56
S55	1762	protect adj2 "electrostatic protection diode" or ESD with transistor	US-PGPUB; USPAT	OR	OFF	2004/12/06 12:00
S56	5694	forward adj (bias biasing) with (electrostatic protection diode or ESD)	US-PGPUB; USPAT	OR	OFF	2004/12/06 12:01
S57	5694	(forward adj (bias biasing)) with (electrostatic protection diode or ESD)	US-PGPUB; USPAT	OR	OFF	2004/12/06 12:01
S58	334	(forward adj (bias biasing)) with (electrostatic protection diode or ESD) with prevent\$4	US-PGPUB; USPAT	OR	OFF	2004/12/06 12:02
S59	39	S58.clm.	US-PGPUB; USPAT	OR	OFF	2004/12/07 13:27
S60	13	(forward adj (bias biasing)) with ("electrostatic protection diode" or ESD) with prevent\$4	US-PGPUB; USPAT	OR	OFF	2004/12/06 13:49

S61	6	atapi adj bridge	US-PGPUB; USPAT	OR	OFF	2004/12/06 13:52
S62	331	usb and atapi	US-PGPUB; USPAT	OR	OFF	2004/12/06 13:52
S63	39	atapi.clm. and usb	US-PGPUB; USPAT	OR	OFF	2004/12/06 13:52
S64	1	"990629".ap.	US-PGPUB; USPAT	OR	OFF	2004/12/06 15:48
S65	0	"395"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/06 15:48
S66	182	henderson.in. and latch	US-PGPUB; USPAT	OR	OFF	2004/12/06 18:20
S67	50	bjt with latch	US-PGPUB; USPAT	OR	OFF	2004/12/06 18:20
S68	7	("4123799" "4506167" "4716320" "5036231" "5541881" "5808488" "5821791").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 11:37
S69	10742	transistor with latch	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 11:37
S70	1563	transistor near2 bjt	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 11:38
S71	73	S70 and S69	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 11:40
S72	18	bjt with voltage adj regulator	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 11:42
S73	39	common adj base with latch	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 11:44
S74	4	("5216275" "6246598" "6262905" "6288883").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 12:01
S75	8	voltage adj regulator with bjt near5 transistor	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 12:02
S76	4045	voltage adj regulator with transistor	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 12:02
S77	1880	bjt with transistor	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 12:02
S78	30	S77 and S76	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 12:45

S79	223	protect adj diode	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 12:46
S80	14	protect adj diode with transistor	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 13:00
S81	8322	"electrostatic protection diode" or ESD	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 13:00
S82	1771	S81 with transistor	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 13:00
S83	482	S82.clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 13:01
S84	0	S83 and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 13:01
S85	557804	damage "electrostatic protection diode"	US-PGPUB; USPAT	OR	OFF	2004/12/07 13:04
S86	0	damage near3 "electrostatic protection diode"	US-PGPUB; USPAT	OR	OFF	2004/12/07 13:04
S87	28	protect\$3 near3 "electrostatic protection diode"	US-PGPUB; USPAT	OR	OFF	2004/12/07 13:05
S88	1	"electrostatic protection diode" with parallel with ((pull adj up) or resistor)	US-PGPUB; USPAT	OR	OFF	2004/12/07 13:33
S89	4	"electrostatic protection diode" with ((pull adj up) or resistor)	US-PGPUB; USPAT	OR	OFF	2004/12/07 13:38
S90	6	"896669".ap.	US-PGPUB; USPAT	OR	OFF	2004/12/07 13:39
S91	1356	esd with diode	US-PGPUB; USPAT	OR	OFF	2004/12/07 13:39
S92	969	esd with diode with protect\$3	US-PGPUB; USPAT	OR	OFF	2004/12/07 13:40
S93	176	S92.clm.	US-PGPUB; USPAT	OR	OFF	2004/12/07 13:39
S94	247	esd with diode with protect\$3 with transistor	US-PGPUB; USPAT	OR	OFF	2004/12/07 13:40
S95	59	S94.clm.	US-PGPUB; USPAT	OR	OFF	2004/12/07 13:40